JOURNAL OF THE MARINE BIOLOGICAL ASSOCIATION

CONTENTS: VOLUME 70

Number 1, pp. 1-248, February 1990

PAGE

Nutritional value of dried algae diets for larvae of Manila clam (*Tapes philippinarum*). Laing, I., Child, A.R. and Janke, A. 1

On different methods available for measuring the area of gill secondary lamellae of fishes. Hughes, G.M. 13

A comparative study of the anatomy and behaviour of the oncomiracidia of the related monogenean gill parasites *Kuhnia scombri*, *K. sprostonae* and *Grubea cochlear* from mackerel, *Scomber scombrus*. Whittington, I.D. and Kearn, G.C. 21

Thermal and biochemical characteristics of the lipids of the leatherback turtle *Dermochelys coriacea*: evidence of endothermy. Davenport, J., Holland, D.L. and East, J. 33

Observations on swimming, posture and buoyancy in the giant oceanic ostracods, *Gigantocypris mulleri* and *Macrocypridina castanea*. Davenport, J. 43

Variations in the reproductive cycle of *Acrocnida brachiata* (Echinodermata: Ophiuroidea) according to environment in the Bay of Douarnenez (Brittany). Bourgoin, A. and Guillou, M. 57

Structure and density of *Haliotis tuberculata* populations around the coasts of Jersey, Channel Isles. Peck, L.S. and Culley, M.B. 67

An investigation of methods for sampling microbial films on rocky shores. Hill, A.S. and Hawkins, S.J. 77

The population zoogeography of the common shrimp (*Crangon crangon*) in British waters. Henderson, P.A., Seaby, R. and Marsh, S.J. 89

Factors affecting individual body weight in field populations of the mudsnail *Hydrobia ulvae*. Morrisey, D.J. 99

Physiological factors causing natural variations in acoustic target strength of fish. Ona, E. 107

Reproduction and life history strategy of the hermit crab *Pagurus bernhardus*. Lancaster, I. 129

Differences in the swimming behaviour of the amphipod *Corophium volutator* from different populations. Hughes, R.G. and Horsfall, I.M. 143

The energetics of migration by selective tidal stream transport: an analysis for plaice tracked in the southern North Sea. Metcalfe, J.D., Arnold, G.P. and Webb, P.W. 149

Gametogenesis and the reproductive cycle in the deep-sea anemone *Paracalliactis stephensoni* (Cnidaria: Actinaria). Van-Praet, M. 163

Seasonal reproduction in the seastar *Dytaster grandis* from 4000 m in the north-east Atlantic Ocean. Tyler, P.A., Billett, D.S.M. and Gage, J.D. 173

Preliminary observations on factors affecting foraging activity in the limpet *Patella vulgata*. Little, C., Morritt, D., Paterson, D.M., Stirling, P. and Williams, G.A. 181

A biochemical investigation of a *Phaeocystis* sp. bloom in the Irish Sea. Claustre, H., Poulet, S.A., Williams, R., Marty, J.-C., Coombs, S., Ben Mlih, F., Hapette, A.M. and Martin-Jezequel, M. 197

Skeletal growth bands in brittle stars: microstructure and significance as age markers. Gage, J.D. 209

Changes in lipids during simulated herbivorous feeding by the marine crustacean *Neomysis integer*. Bradshaw, S.A., O'Hara, S.C.M., Corner, E.D.S. and Eglinton, G. 225

Short Communication:
Organic content of the molluscan shell. Rodhouse, P.G. 245

Book Notices 247

Number 2, pp. 249-481, May 1990

PAGE

Observations on coastal fish fauna during a spring bloom of *Phaeocystis pouchetii* in the eastern Irish Sea. Rogers, S.I. and Lockwood, S.J. 249
Catches and geographical distribution of selachians on the western coast of Brittany. Rousset, J. 255
Population structure of thornback rays *Raja clavata* and their movements in the Bay of Douarnenez. Rousset, J. 261
Moulting and mating in *Lepeophtheirus pectoralis* (Copepoda: Caligidae). Anstensrud, M. 269
Distribution of intertidal isopods in relation to geographical changes in macroalgal cover in the Bay of Biscay. Arrontes, J. and Anadón, R. 283
The ultrastructure of the skeleton and skeletogenic tissues of the temperate coral *Caryophyllia smithii*. Le Tissier, M.D'A.A. 295
Observations on the locomotion of post-larval and juvenile flying fish. Davenport, J. 311
Spawning and development of *Calliostoma granulatum* in the Mediterranean Sea. Ramón, M. 321
The diet of the two-spot goby, *Gobiusculus flavescens* (Pisces). Costello, M.J., Edwards, J. and Potts, G.W. 329
Depth related variation in the structure and functioning of the compound eye of the Norway lobster *Nephrops norvegicus*. Gaten, E., Shelton, P.M.J., Chapman, C.J. and Shanks, A.M. 343
A model of the relationship between light and primary production in an atoll lagoon. Charpy, L. and Charpy-Roubaud, C.J. 357
The use of artificial substrates in monitoring mussel (*Mytilus edulis* L.) settlement on an exposed rocky shore in the west of Ireland. King, P.A., McGrath, D. and Britton, W. 371
Jakoba libera (Ruinen, 1938), a heterotrophic flagellate from deep oceanic sediments. Patterson, D.J. 381
Introduction and oxidation of catechols during the formation of the skate (*Raja erinacea*) egg capsule. Koob, T.J. and Cox, D.L. 395
The role of the sensory systems of herring larvae in evading predatory fishes. Blaxter, J.H.S. and Fuiman, L.A. 413
Isolation and partial characterisation of the serum immunoglobulin of the flounder, *Platichthys flesus*. Glynn, P.J. and Pulsford, A.L. 429
Age determination, growth rate and population structure of the horse mussel *Modiolus modiolus*. Anwar, N.A., Richardson, C.A. and Seed, R. 441
Some observations on the behaviour of adult squids, *Loligo forbesi*, in captivity. Porteiro, F.M., Martins, H.R. and Hanlon, R.T. 459
Short Communications:
Prorocentrum minimum (Dinophyceae) in the Adriatic and Black Sea. Marasovic, I., Pucher-Petkovic, T. and Petrova-Karadjova, V. 473
Investigation into the state of preservation of the E.T. Browne collection of hydromedusae. Moore, S.J. 477
Book Notices 481

Number 3, pp. 483-685, August 1990

PAGE

Influences on movement and migration in the hermit crab *Pagurus bernhardus*. Lancaster, I. and Wigham, G.D. 483
Revision of the family Ammodytidae (Perciformes) in the Mediterranean with the first record of *Gymnammodytes semisquamatus*. Sabatés, A., Demestre, M. and Sanchez, P. 493
The relation between the dimensions of the cirral net, the beat frequency and the size and age of the animal in *Balanus balanoides* and *Elminius modestus*. Crisp, D.J. and Maclean, F.J. 505
Fecundity and maturity of plaice (*Pleuronectes platessa*) from Cardigan Bay. Horwood, J.W. 515
Photosynthetic carbon metabolism of size-fractionated phytoplankton during an experimental bloom in marine microcosms. Madariaga, I. de and Fernandez, E. 531
Ultrastructural studies of the elytra of *Pholoe minuta* (Annelida: Polychaeta) with special reference to functional morphology. Heffernan, P. 545
The relationship between the distribution of genetically distinct inbred lines and upper lethal temperature in *Lasaea rubra*. Tyler-Walters, H. and Davenport, J. 557
Exotoxin production by *Gyrodinium* cf. *aureolum* (Dinophyceae). Gentien, P. and Arzul, G. 571
Gastropod predation sites: the role of predator and prey in chemical attraction of the hermit crab *Clibanarius vittatus*. Rittschof, D., Kratt, C.M. and Clare, A.S. 583
The impact of photoperiodicity on hatching of *Loligo vulgaris* and *Loligo forbesi*. Paulij, W.P., Herman, P.M.J., van Hannen, E.J. and Denucé, J.M. 597
The relationship of larval shell morphology to mode of development in marine prosobranch gastropods. Lima, G.M. and Lutz, R.A. 611
Reproductive abnormalities in female *Ocenebra erinacea* (Gastropoda) resulting from tributyltin-induced imposex. Gibbs, P.E., Bryan, G.W., Pascoe, P.L. and Burt, G.R. 639
Abstracts: Environmental Change ~ Biological Response 657
Short Communication:
Doliolids in the German Bight in 1989: evidence for exceptional inflow into the North Sea. Lindley, J.A., Roskell, J., Warner, A.J., Halliday, N.C., Hunt, H.G., John, A.W.G. and Jonas, T.D. 679
Book Notices 683

Number 4, pp. 687-954, November 1990

PAGE

Epibiosis in deep-sea crab populations as indicator of biological and behavioural characteristics of the host. Abelló, P., Villanueva, R. and Gili, J.M. 687
Blooms of *Prorocentrum micans* (Dinophyta) in the Galway Bay area. Pybus, C. 697
Further results from a tagging study of pelagic sharks in the north-east Atlantic. Stevens, J.D. 707
Geographical variation of *Balanus improvisus* in biochemical and morphometric characters. Furman, E.R. 721
Origin of bistramide A identified in *Lissoclinum bistratum* (Urochordata): possible involvement of symbiotic Prochlorophyta. Biard, J.-F., Grivois, C., Verbist, J.-F., Debitus, C. and Carre, J.B. 741
Mycteronastes undulatae gen. nov., sp. nov. (Monogenea: Monocotylidae) from the nasal cavities of *Raja undulata* in the eastern Atlantic. Kearn, G.C. and Beverley-Burton, M. 747
A new mesopelagic appendicularian, *Mesochordaeus bahamasi* gen. nov., sp. nov. Fenaux, R. and Youngbluth, M.J. 755
The fatty acid composition of the leatherback turtle *Dermochelys coriacea* L. and its jellyfish prey. Holland, D.L., Davenport, J. and East, J. 761
Dietary lipid changes during herbivory and coprophagy by the marine invertebrate *Nereis diversicolor*. Bradshaw, S.A., O'Hara, S.C.M., Corner, E.D.S. and Eglinton, G. 771
Zinc and cadmium absorption in the symbiotic anemone *Anemonia viridis* and the non-symbiotic anemone *Actinia equina*. Harland, A.D., Bryan, G.W. and Brown, B.E. 789
Determinacy of fecundity in sole (*Solea solea*) from the Bristol Channel. Horwood, J.W. and Greer Walker, M. 803
The persistence and modulation of endogenous circatidal rhythmicity in *Lipophrys pholis* (Teleostei). Northcott, S.J., Gibson, R.N. and Morgan, E. 815
Sandeels in the diets of seals: application of novel and conventional methods of analysis to faeces from seals in the Moray Forth area of Scotland. Pierce, G.J., Boyle, P.R., Diack, J.S.W. and Clark, I. 829
Shell and hinge ontogeny of the Antarctic bivalve *Lissarca notorcadensis*. Prezant, R.S. 841
Structure, strength and seasonality of the slope currents in the Bay of Biscay region. Pingree, R.D. and Le Cann, B. 857
An overview of the amphipod genus *Haploops* (Ampeliscidae). Dauvin, J.-C. and Bellan-Santini, D. 887
Transfer of metal detoxification along marine food chains. Nott, J.A. and Nicolaidou, A. 905
Short Communications:
On the breeding season of *Lipophrys pholis* (Pisces: Blenniidae) at Arrábida, Portugal. Almada, V.C., Barata, E.N., Gonçalves, E.J. and Oliviera, R.F. de 913
Membranipora arborescens (Bryozoa: Cheilostomidae): a new record in the Bay of Biscay. Alvarez, J.A. 917
Announcement 921
Book Notices 923
Annual Report 925
Financial Statement 947

CORRIGENDA

Page 79, line 33, *for* v = area of rock sampled *read* V = area of rock sampled
Page 79, line 34, *for* V = solvent volume *read* v = solvent volume.